


INDEX MAPS.
T. 16N, R. 2E. 2nd Mer.

67	6	88	5	88	4	79	3	75	2	71	1	65
	88		87		82		79		74		71	
67	7	87	8	82	9	78	10	74	11	70	12	64
	87		86		82		78		74		70	
66	18	86	17	81	16	77	15	73	14	70	13	64
	86		85		81		77		73		69	
66	19	85	20	81	21	77	22	73	23	69	24	63
	85		84		80		76		72		69	
66	30	84	29	80	28	76	27	72	26	68	25	63
	84		83		80		76		72		68	
65	31	83	32	79	33	75	34	71	35	68	36	63
	62		62		62		61		61		61	

T. 1N, R. 5E. 2nd Mer.

	95		95		95-96		94-96		94-96		94-96	
98	6	119	5	114	4	110	3	106	2	102	1	94
	119		118		113		109		106		102	
98	7	118	8	113	9	109	10	105	11	101	12	93
	118		117		112		109		105		101	
97	18	117	17	112	16	108	15	105	14	101	13	93
	116		116		112		108		104		100	
97	19	116	20	111	21	108	22	104	23	100	24	93
	115		115		111		107		104		100	
97	30	115	29	111	28	107	27	103	26	99	25	93
	114		114		110		107		103		99	
97	31	114	32	110	33	107	34	102	35	99	36	92
	91		91		91		91		92		92	

 The figures on the lines refer to the page.

South Boundary or Baseline
 East On S. boundary of Sec. 31, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post. from which
 a Hickory 20 in. dia. bran N 10 E 55 lks. dist.
 and no other timber near
 71.25 a Hickory 20 in. dia.
 80.00 Set a post Cor. to Sec. 31 & 32, from which
 a W. Oak 10 in. dia. bran N 20 W 60 lks. dist. &
 a Hickory 10 " " " S 12 E 50 " "
 Thin Barren land Covered with grass

East On S. boundary of Sec. 32, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post no timber near
 65.50 W. Oak 20 in. dia.
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Hickory 8 in. dia. bran N 39 W 59 lks. dist
 & no other near. Thin Soil and thinly
 timbered with scrub Oak & Hickory

East On S. boundary of Sec. 33, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post no timber near
 80.00 Set a post Cor. to Sec. 33 & 34, T. 1 N. R. 3 E.
 in a Barren point of land no timber
 but covered with small undergth & grass
 July 14th 1806.

East On S. boundary of Sec. 34, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post. from which
 a W. Oak 10 in. dia. bran N 49 W 25 lks. dist
 a B. Oak 15 " " " S 89 E 27 " "
 73.50 a Brook 200 lks. wide Cr. & E.
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a Beech 10 in. dia. bran S 30 E 24 lks. dist.

St. R 3 E. 2^d. Mer. Indiana

a Beech 8 in. dia. bray N 15 E 12 lks. dist.
This mile over same kind of Land

East On S. boundary of Sec. 35, St. R 3 E.

22.50 a Poplar 29 in. dia.

40.00 Set the g. Sec. post, from which

a W. Oak 10 in. dia. bray N 14 E 12 lks. dist. of

a Hickory 10 " " " N 24 W 18 " "

48.50 a W. Oak 20 " "

67.66 a B. Oak 24 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which

a Beech 8 in. dia. bray S 35 W 17 lks. dist. of

a Dogwood 5 " " " N 70 W 4 " "

This mile over rich Oak, Hickory & Beech Land.

East On S. boundary of Sec. 36, St. R 3 E.

19.25 a Beech 12 in. dia.

40.00 Set the g. Sec. post, from which

a W. Oak 18 in. dia. bray N 16 E 15 lks. dist. of

a Dogwood 5 " " " N 46 E 21 " "

80.00 Set a post Cor. to Towns 1 North & 1 South
Range 3 & 4 E. from which

a W. Walnut 10 in. dia. bray S 69 E 19 lks. dist. of

a Beech 10 " " " N 11 E 20 " "

Land timber &c. same quality

East Boundary

North On E. boundary of Sec. 36, St. R 3 E.

21.50 a W. Oak 20 in. dia.

40.00 Set the g. Sec. post, from which

a Poplar 20 in. dia. bray S 5 W 44 lks. dist. of

a Beech 10 " " " N 35 W 9 " "

80.00 Set a post Cor. to Sec. 25 & 36, from which

T. N. R 3 E. 2^d. Mer. Indiana

93

a W. Oak 12 in. dia. bray N 62 E 18 lks. dist. of
a Do 10 " " " N 52 W 12 " "
Over good farming land, Beech, Oak & Hickory.

North On E. boundary of Sec. 25, T. N. R 3 E.
40.00 Set of Sec. post, from which
a Dogwood 6 in. dia. bray N 47 E 30 lks. dist. of
a Hickory 13 " " " N 57 E 21 " "
80.00 Set a post Cor. to Sec. 24 & 25, in the Barren
no timber near. Thin mile over very brushy
thin Soil no timber

North On E. boundary of Sec. 24, T. N. R 3 E.
40.00 Set the of. Sec. post in Barren no trees
Land the same
80.00 Set a post Cor. to Sec. 13 & 24, no timber
near Land the same.

North On E. boundary of Sec. 13, T. N. R 3 E.
40.00 Set the of. Sec. post no timber near
58.60 a Beech 20 in. dia.
66.20 a Poplar 20 " "
80.00 Set a post Cor. to Sec. 12 & 13, from which
a W. Oak 20 in. dia. bray N 56 E 8 lks. dist. of
a Gum 15 " " " N 22 W 13 " "
Thin mile over land of the same quality

North On E. boundary of Sec. 12, T. N. R 3 E.
40.00 Set the of. Sec. post, from which
a Dogw. 6 in. dia. bray N 68 E 47 lks. dist. of
a Chestnut 40 " " " N 23 E 46 " "
60.50 a Brook 150 lks. wide Cr. W.
80.00 Set a post Cor. to Sec. 1 & 12, from which

T. 1 N. R. 3 E. 2. Mer. Indiana

a Beech 20 in. dia. bray N 83° W 24 lks. dist. of
 a Sugar 12 " " " - 48 E 31 " "
 Good farming land, timber Beech & Sugar
 undergth Spruce &c.

North On E. boundary of Sec. 1. T. 1 N. R. 3 E.

0.20 a Beech 20 in. dia.

19.50 a Creek 150 lks. wide Cr. S. E.

40.00 At the q. Sec. post, from which

a Poplar 4 in. dia. bray S 46° W 11 lks. dist. of

a Do 2 " " " N 46° E 6 " "

65.00 the same Creek Course S. W.

80.00 At a post Cor. to Town 16 2 North, Range

N. 3 & 4 East, from which

a W. Ash 20 in. dia. bray S 85° E 12 lks. dist. of

a Dogw. 5 " " " S 55° E 6 " "

Sand timber &c. same as on the last mile

North Boundary.

West On Rand^m S. boundary of Sec. 36, T. 2 N. R. 3 E.

40.00 At temp^y. q. Sec. post

80.00 At temp^y. Sec. post. Good farming land
 timber Oak, Hickory, Walnut, Poplar, Gum, Ash
 &c. undergth Spruce Hickory & Sassafras

West On Rand^m S. boundary of Sec. 35, T. 2 N. R. 3 E.

40.00 At temp^y. q. Sec. post

80.00 At temp^y. Sec. post.

Sand timber &c. same as on the last mile

West On Random S. boundary of Sec. 34, T. 2 N. R. 3 E.

31.00 a Brook 15 lks. wide Course South

35.50 a Do 10 lks. " " South

T2N. R3E. 2^d. Mer. Indiana

95

40.00 At temp^y q^r. Sec. post
75.00 to a prairie thin Soil
80.00 At temp^y. mile post
(Description Omitted)

West On Rand^m. S. boundary of Sec. 33, T2N. R3E.
40.00 At temp^y. q^r. Sec. post
55.00 West side of the prairie
80.00 At temp^y. Sec. post.
This post stands on Good farming oak timber land

West On Rand^m. S. boundary of Sec. 32, T2N. R3E.
25.00 a Brushy prairie
40.00 At temp^y. q^r. Sec. post
80.00 At temp^y. Sec. post on the West side of the
Prairie.

West On Rand^m. S. boundary of Sec. 31, T2N. R3E.
40.00 At temp^y. q^r. Sec. post
77.50 Intersected the N & S. line 545 l^y. N. of the
Town Corner. Good land.

East On true line S. boundary of Sec. 31, T2N. R3E.
37.50 At the q^r. Sec. post, from which
a W. Oak 10 in. dia^r. beam N 89 W 11 l^y. dist. 4
a do 5 " " " S 29 W 10 " "
77.50 At a post Cor. to Sec. 31 & 32, T2N. R3E, from which
a P. Oak 6 in. dia^r. beam S 54 E 45 l^y. dist.
no other

East On true line S. boundary of Sec. 32, T2N. R3E.
40.00 At the q^r. Sec. post, from which
a Hickory 10 in. dia^r. beam S 72 W 6 l^y. dist.

T. 2 N. R. 3 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 32 & 33, T. 2 N. R. 3 E. from which
a Hickory 8 in. dia. bears N 51 E 23 lks. dist.
no other.

East On true line S. boundary of Sec. 33, T. 2 N. R. 3 E.

40.00 Set the q. Sec. post on true line for q. Sec. Cor.
no timber near.

80.00 Set a post Cor. to Sec. 33 & 34, T. 2 N. R. 3 E. from which
a W. Oak 15 in. dia. bears S 29 E 33 lks. dist. &
a Do 20 " " " S 76 W 57 " "

East On true line S. boundary of Sec. 34, T. 2 N. R. 3 E.

40.00 Set the q. Sec. post on true line from which
a Locust 10 in. dia. bears N 11 E 21 lks. dist. &
an Ironwood 6 " " " S 15 W 10 " "

80.00 Set a post Cor. to Sec. 34 & 35, T. 2 N. R. 3 E. from which
a Gum 29 in. dia. bears S 75 E 15 lks. dist. &
a Hickory 6 " " " S 15 W 10 " "

East On true line S. boundary of Sec. 35, T. 2 N. R. 3 E.

40.00 Set the q. Sec. post on true line, from which
a W. Oak 6 in. dia. bears N 27 W 14 lks. dist. &
a W. Ash 10 " " " S 27 E 6 1/2 " "

80.00 Set a post Cor. to Sec. 35 & 36, T. 2 N. R. 3 E. from which
a Hickory 10 in. dia. bears N 28 W 14 lks. dist. &
a Dogwood 6 " " " S 39 W 16 " "

East On true line S. boundary of Sec. 36, T. 2 N. R. 3 E.

40.00 Set the q. Sec. post on true line, from which
a Dogwood 6 in. dia. bears S 79 W 11 lks. dist. &
a Hickory 12 " " " S 65 E 6 " "

80.00 Set a post Cor. to Township Corner.

September 20th 1806

Comd

T. N. R. 3 E. 2nd Mer. Indiana

West Boundary

North On E. boundary of Sec. 36, T. N. R. 2 E.

40.00 Let the q. Sec. post, from which
 a P. Oak 20 in. dia. bear N 84 E 33 lks. dist. of
 a W. Oak 13 " " " S 73 W 12 " "

62.35 a W. Oak 15 " "

80.00 Let a post Cor. to Sec. 25 & 36, T. N. R. 2 E. from which
 a W. Oak 15 in. dia. bear N 81 W 12 lks. dist. of
 a Do 10 " " " S 86 E 34 " "
 Thin Oak timbered land

North On E. boundary of Sec. 25, T. N. R. 2 E.

40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. dia. bear S 69 E 40 lks. dist. of
 a P. Oak 13 " " " N 87 W 36 " "

40.50 a Poplar 20 " "

80.00 Let a post Cor. to Sec. 24 & 25, T. N. R. 2 E. from which
 a Cherry 8 in. dia. bear N 11 W 9 lks. dist. of
 a Do 10 " " " S 10 W 29 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 24, T. N. R. 2 E.

40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. dia. bear S 68 W 7 lks. dist. of
 a P. Oak 18 " " " N 26 E 57 " "

80.00 Let a post Cor. to Sec. 13 & 24, T. N. R. 2 E. from which
 a Hickory 5 in. dia. bear S 25 E 80 lks. dist
 and no other

Note - The above post and bearings is 5 chains South
 of the true Corner.

North On E. boundary of Sec. 13, T. N. R. 2 E.

40.00 Let the q. Sec. post, from which

T. 1 N. R. 3 E. 2^d. Mer. Indiana

a W. Oak 15 m. dia. bray S 25 E 12 lks. dist. &

a do 14 " " " N 9 W 33 " "

80.00 Let a post Cor. to Sec. 12 & 13, T. 1 N. R. 3 E. from which

a W. Oak 8 m. dia. bray South 33 lks. dist. &

a W. Oak 14 " " " N 26 E 5 " "

This mile over very bushy thin Soil

North On E. boundary of Sec. 13, T. 1 N. R. 3 E.

14.35 a W. Oak 20 m. dia.

40.00 Let the q. Sec. post, from which

a W. Oak 12 m. dia. bray N 22 W 21 lks. dist. &

a do 14 " " " S 25 W 5 " "

80.00 Let a post Cor. to Sec. 13 & 12, T. 1 N. R. 3 E. from which

a W. Oak 8 m. dia. bray S 82 W 39 lks. dist. &

a Poplar 11 " " " N 76 E 4 " "

Sand bushy and Broken

North On E. boundary of Sec. 1, T. 1 N. R. 2 E.

2.10 a W. Oak 15 m. dia.

40.00 Let the q. Sec. post, from which

a W. — 24 m. dia. bray N 32 E 31 lks. dist. &

a W. Ash 7 " " " S 41 W 41 " "

46.50 a Brook 10 lks. wide Cr. & E.

52.27 a W. Oak 20 m. dia.

75.00 Let a post Cor. to Town 1 & 2 North, Range

2 & 3 East from which

a W. Oak 10 m. dia. bray N 17 W 21 lks. dist. &

a dogw. 5 " " " S 62 E 9 " "

Broken Oak Soil

Surveyed by Arthur Henric, A. S.

Subdivision.

March 12th 1807. variation 6° 40' E.

T. N. R. 3 E. T. Mer. Indiana

North Between Secs. 35 & 36, T. N. R. 3 E.

- 26.00 a Creek, 100 links wide Cours S. W.
 40.00 Set the q. Sec. post from which
 a B. Oak 20 in. dia. bears S 54 E 35 lks. dist. &
 a S Gum 15 " " " N 23 W 16 " "
 54.00 a Creek 100 links wide Course S. E.
 71.50 a Lk 150 " " " S W
 80.00 At a post cor. to Secs. 25, 26, 35 & 36, T. N. R. 3 E, from
 which a W Oak 36 in. dia. bears N 30 E 26 lks. dist. &
 a Lk. 36 " " " S 33 W 38 " "
 Land midling level timber Oak, Poplar, Ash
 Beech & thick spice undergrowth midling good farm-
 ing land

East On random between Secs. 25 & 36 T. N. R. 3 E

- 13.00 a Creek 150 links wide. Course S. W.
 40.00 Set temp. q. Sec. post.
 80.00 Intersected the N & S line 100 links South of Sec. Corner
 Land uneven timber Oak Hickory poplar &c midling
 farming land

West On true line between Secs. 25 & 36 T. N. R. 3 E

- 40.00 Set the q. Sec. post at average dist. from which
 a W Oak 11 in diam. bears S 73 E 30 lks. dist. &
 a Lk 14 " " " N 18 W 23 " "
 80.00 To Sec. Corner

North Between Secs. 25 & 26 T. N. R. 3 E.

- 9.50 Creek 150 lks. wide Course S. E.
 23.05 an Elm 10 in dia. in the line
 40.00 Set the q. Sec. post from which
 a W Oak 15 in. dia. bears S 22 W 19 lks. dist. &
 a Lk 12 " " " N 31 E 24 " "

T. N. R. 3 E. 2nd Mer. Indiana

80. 00 Set a post Cor. to Secs. 23, 24, 25 & 26 T. 1 N. R. 3 E. from which a W Oak 10 in. dia. bears. N 76 E 58 lks. dist. & a Hickory 18 " " " S 28 W 10 " " Land rolling timber Oak Hickory Sugar poplar & such to the first half mile good farming land

East On Rand. betw. Secs. 23 & 24 T. 1 N. R. 3 E
40. 00 Set the q. Sec. post from which a Hickory 5 in dia. bears. N 71 E 28 lks. dist. & a Do 5 " " " N 68 W 32 " " The last 1/2 mile is over very brushy Barrens no timber. and the line is not run through

North Between Secs. 23 & 24 T. 1 N. R. 3 E
40. 00 Set the q. Sec. post from which a W Oak 11 in. dia. bears S 23 E 15 lks. dist. & a Do 18 " " " N 7 W 25 " "
56. 98 a W 9 " "
80. 00 Set post Cor. to Secs. 13, 14, 23 & 24 T. 1 N. R. 3 E from which a Poplar 20 in. dia. bears N 78 E 8 lks. dist. & a R. Oak 24 " " " N 68 W 27 " " Land rather broken timber Oak & Hickory princ. especially thin soil poor farming land not much underg.

East On Rand. betw. Secs. 13 & 24 T. 1 N. R. 3 E
40. 00 Set temp. q. Sec. post.
81. 00 Intersected the N. & S. line 1.04 lks. South of post the 1/2 p mile timbered and the last 1/2 p. barrens very brushy uneven and poor farming land

West On true line between Secs. 13 & 24 T. 1 N. R. 3 E
40. 50 Set q. Sec. post at average dist. from which a R. Oak 15 in. dia. bears N 10 E 4 lks. dist. &

T1R. R3E. 2nd Mer. Indiana

a R. Oak 14 in. diam. bears S 61 E 24 lks. dist
21. 00 to Sec. Corner

North Between Secs. 13 & 14 T1R. R3E.

40. 00 Set the q^r. Sec. post from which
a Butternut 10 in. diam. bears S. 20 W 15 lks. dist. &
a Do 9 " " " N 1 W 10 " "

74. 06 a B. Gum 15 " "

80. 00 Set a post Cor. to Sec. 11, 12, 13 & 14 T1R. R3E from which
a Hickory 7 in. diam. bears S 85 W 12 lks. dist. &
a B. Oak 20 " " " S 29 W 52 " "

Land rather broken, timber Oak & Hickory, principally
inclining to be barren, thick underg^r. of small bushes
and barren, poor farming land

East On Random between Secs. 12 & 13, T1R. R3E.

40. 00 Set temp^y. q^r. Sec. post

79. 16 Intersected the N. & S. line 49 S. of Sec. Corner

This mile part timber and part barrens very brushy
and poor farming land

West On true line between Sec. 12 & 13 T1R. R3E

39. 58 Set q^r. Sec post at average dist. from which
a Poplar 18 in diam. bears. N 58 E 69 lks. dist. &
a Do 30 " " " S 64 W 63 " "

79. 16 to Sec. Corner

North Between Secs. 11 & 12 T1R. R3E

17. 50 a large Spring Course S. W.

25. 11 a Sugar 18 in. diam. bears

30. 50 a Creek 100 lks. wide Course S. W.

40. 00 Set the q^r. Sec. post, from which
a Beech 15 in diam. bears N 60 E 49 lks. dist. &

N. R. 2 E. 2^d. Mer. Indiana

a Hickory 12 in. dia^m. bears N 83 W 46 lks. dist. &
 80. 00 Set post Cor. to Sec. 1, 2, 11, 12 T. 1 N. R. 3 E from which
 a Hogwood 5 in. dia^m. bears S 35 E 12 lks. dist. &
 a Beech 10 " " " N 70 W 22
 Land uneven timber Oak Beech Hickory & the 1/2
 mile Barrens and the last midling farming land

East On Random line betwⁿ Sec. 1 & 12 T. 1 N. R. 3 E
 22. 00 a Creek 1.00 lks. wide Course S. W
 40. 00 Set temp^y. q^r. Sec post in a Creek 1.00 lks. wide C. S. W.
 80. 00 Intersected N & S line 36 lks. South of Sec. Corner
 Land rather uneven timber Beech Sugar poplar
 Oak undergrowth Spice good farming land

West On true line between Sec. 1 & 12 T. 1 N. R. 3 E
 40. 00 Set q^r. Sec. post at average dist. from which
 a Beech 10 in. dia^m. bears S 61 E 11 lks. dist. &
 a W. Oak 9 " " " N 10 E 22 " "
 80. 00 to Sec. Corner

North Between Sec. 1 & 2 T. 1 N. R. 3 E
 40. 00 Set q^r. Sec. post from which
 a B. Gum 10 in. dia^m. bears N 10 E 22 lks. dist. &
 a Hlogwood 4 " " " S 50 W 16 " "
 44. 21 a W. Oak 8 " "
 79. 43 Intersected E & W line 1.70 lks. W. of post, from which
 a B. Gum 20 in. dia^m. bears. S 58 E 11 lks. dist. &
 a Hickory 30 " " " N 49 W 19 " "
 Land Broken with sink holes timber Oak Hick.
 poplar Walnut & Spice undergrowth Soil rather
 thin poor farming land. March 14th 1807

North Between Sec. 34 & 35 T. 1 N. R. 3 E

T1 N. R3 E. 2^d Mer. Indiana

- 7.50 a Creek 150 lks. wide Cr. S.W.
 40.00 Set the q. Sec. post, from which
 a Hickory 13 in. dia. bran S 62 E 12 lks. dist. of
 a W. Oak 10 " " " S. W 25 " "
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which
 a W. Oak 10 in. dia. bran S 82 E 26 lks. dist. of
 a Cherry 10 " " " S 70 W 61 " "
 This mile Middling level, timber Oak, Hickory
 Sugar, Poplar, Walnut, the 1st 1/2 mile good
 farming land - last 1/2 rather thin Soil, timber
 Oak Hickory, principally.

East On Random between Secs. 26 & 35, T1 N. R3 E.

40.00 Set temp. q. Sec. post.

81.07 Intersected the N & S. line 33 lks. S. of post
 Land rather Broken with sink holes, timber
 Oak & Hickory, principally poor farming land

West On true line between Secs. 26 & 35, T1 N. R3 E.

40.53 Set q. Sec. post at average dist. from which
 a W. Oak 8 in. dia. bran S 17 W 33 lks. dist. of
 a Hickory 13 " " " N 23 E 35 " "

81.07 to Sec. Corner

North Between Secs. 26 & 27, T1 N. R2 E.

22.25 a W. Oak 9 in. dia.

40.00 Set the q. Sec. post, from which
 a W. Oak 30 in. dia. bran S 86 W 35 lks. dist. of
 a Poplar 5 " " " N 68 E 2 " "

70.13 a W. Oak 15 " "

77.50 at Brook 12 lks. wide Course S. E.

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
 a W. Oak 7 in. dia. bran S 12 E 2 lks. dist. of

T. 1 N. R. 3 E. 2. Mer. Indiana

a W. Oak 12 in. dia. bray N 57 W 14 lks. dist.
 1st 1/2 mile land same - last 1/2 level good farming land -

East On Randam betwⁿ Sec^s. 23 & 26, T. 1 N. R. 3 E.

40.00 Set temp^t. q^r. Sec. post

54.00 a Creek 100 lks. wide Cr. South

80.84 Intersected the N & S. line 74 lks. S. of post
 Land rolling, timber Oak, Hick^y, principally
 middling farming land

West On Randam, between Sec^s. 23 & 26, T. 1 N. R. 3 E.

40.42 Set q^r. Sec. post at average dist. from which
 a Hickory 6 in. dia. bray N 17 E 32 lks. dist. of

a Do 9 " " " S 79 W 28 " "

comp. 80.84 to Sec. Corner. March 15th 1807

North Between Sec^s. 22 & 23, T. 1 N. R. 3 E.

40.00 Set the q^r. Sec. post, from which

a Hickory 12 in. dia. bray N 28 W 18 lks. dist. of

a W. Oak 15 " " " S 77 E 34 " "

80.00 Set a post Cor. to Sec^s. 14, 15, 22 & 23, from which

a W. Oak 18 in. dia. bray N 72 E 20 lks. dist. of

a Do 18 " " " S 35 W 27 " "

Over broken barren, but little timber very bushy
 poor farming land,

East On Rand^m. between Sec^s. 14 & 23, T. 1 N. R. 3 E.

40.00 Set temp^t. q^r. Sec. post

68.00 a Creek 150 lks. wide Cr. S. E.

79.88 Intersected the N & S. line 75 lks. S. of post
 Land rolling timber Oak & Hickory, principally
 middling farming land.

T. N. R 3 E. 2^d. Mer. Indiana

Nest On true line between Sec. 14 & 23, T. N. R 3 E.
 39.94 Set q. Sec. post at average dist. from which
 a Beech 11 in. dia. bran West 10 lks. dist. of
 a Sugar 13 " " " N 3 E 18 " "
 79.88 to Sec. Corner.

The true Corner is 37 links South, and 6 links
 west of this half mile post. Note the note
 has reference to the q. Sec. post above. (S.M.)

North Between Sec. 14 & 15, T. N. R 3 E

40.00 Set the q. Sec. post in the Barrens
 no bearing trees

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 9 in. dia. bran N 67° W 85 lks. dist. of
 a Do 12 " " " S 73° W 95 " "
 Over uneven Barrens 3^d rate not much timber
 very thick brush, poor farming land

East On Random between Sec. 11 & 14, T. N. R 2 E.

40.00 Set the q. Sec. post, from which
 a B. Gum 8 in. dia. bran N 82° E 12 lks. dist. of
 a Do 6 " " " N 45° W 3 " "

68.00 a Creek 150 lks. wide Cr. S. W.

Note - It appears the above Sec. line was never
 run through, and that the q. Sec. post was set on
 the Random line, without knowing whether it
 would be on a direct ^{line} ~~Corner~~ between the Sec. Cor.

North Between Sec. 10 & 11, T. N. R 3 E.

31.42 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which
 a W. Oak 9 in. dia. bran S 86° E 34 lks. dist. of
 a B. Oak 6 " " " S 22° W 40 " "

St. R3 E. 2^d Mer. Indiana

65.30 a Brook 10 lks. wide Cr. East
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Oak 10 in. dia. bran N50 E 14 lks. dist. of
 a do 10 " " " S61 W 11 " "
 Over uneven Barrens, not much timber, thick
 brush, poor farming land.

East On Random between Sec. 2 & 11, St. R3 E.
 4.00 a creek 30 lks. wide Cr. South
 40.00 Set temp. q. Sec. post
 79.80 Intersected the N & S. line 88 lks. S. of post.
 Sand Broken, with sink holes, 2^d Rate Soil
 timber Oak, Sugar, Poplar, Beech, poor land

West On true line between Sec. 2 & 11, St. R3 E.
 39.90 Set q. Sec. post at average dist. from which
 a W. Oak 10 in. dia. bran S74 E 23 lks. dist. of
 a Maple 8 " " " S30 W 14 " "
 79.80 to Sec. Corner.

North Between Sec. 2 & 3, St. R3 E.
 21.59 a Sugar 14 in. dia.
 23.00 a Creek 30 lks. wide Cr. S. E.
 40.00 Set the q. Sec. post, from which
 a B. Oak 10 in. dia. bran S71 W 9 lks. dist. of
 a Hickory 7 " " " S81 E 31 " "
 77.73 Intersected the N. boundary 154 lks. N. of post
 Set a post Cor. to Sec. 2 & 3, from which
 a Hickory 10 in. dia. bran S44 W 24 lks. dist. of
 a W. Oak 16 " " " S17 E 19 " "
 Land rolling, timber Oak, hickory, etc. thick
 under. Middling farming land

107

T. N. R. 3 E. 2^d Mer. Indiana

March 16th 1807.

North Between Sec. 33 & 34, T. N. R. 3 E.

32.20 a W. Oak 14 in. dia.

40.00 Let the q. Sec. post, from which
a W. Oak 15 in. dia. bear N 44 E 33 lks. dist. &
a do 15 " " " S 37 W 6 " "

80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which
a W. Oak 13 in. dia. bear S 46 E 44 lks. dist. &
no other. This greatest part of this mile is
broken barren 3^d rate Soil, not much timber
poor farming land.

East On Rand^m. betwⁿ. Sec. 27 & 34, T. N. R. 3 E.

40.00 Let temp^y. q. Sec. post

79.60 Intersected the N & S. line 51 lks. S. of the post
This mile part timber, and part barren, timber
Oak Hickory, principally 3^d rate poor farming land

West On true line between Sec. 27 & 34, T. N. R. 3 E.

39.80 Let q. Sec. post, at average dist. from which
a W. Oak 12 in. dia. bear S 89 W 24 lks. dist. &
a Hickory 7 " " " N 32 E 1 1/2 " "

79.60 to Sec. Corner.

North Between Sec. 27 & 28, T. N. R. 3 E. 2^d Mer

40.00 Let the q. Sec. post, from which
a W. Oak 14 in. dia. bear N 15 W 40 lks. dist. &
a do 6 " " " S 58 W 25 " "

80.00 Let a post, Cor. to Sec. 21, 22, 27 & 28, in the barren,
no bearing trees. Through Open Barren
3^d rate poor farming land

East On Rand^m. between Sec. 22 & 27, T. N. R. 3 E.

T^h. N. R³ E, 2nd Mer. Indiana

40.00 Set temp. of Sec. post
 71.00 at Dook 15 lks. wide C². S. E.
 76.00 a do 4 lks. " " S. E.
 79.90 intersected the N^h S. line 84 lks. N. of post
 The 1st $\frac{3}{4}$ of this mile Land timber same
 the last $\frac{1}{4}$ level good farming land

Next On true line betwⁿ Sec^s. 22 & 27, T^h. N. R³ E.
 39.95 Set of Sec. post in barrens no bearing trees
 79.90 to Sec. Corner.

North Between Sec^s. 21 & 22, T^h. N. R³ E.
 40.00 Set the of Sec. post, from which
 a W. Oak 9 in. dia. bear N 46^W 175 lks. dist. of
 a do 12 " " " N 84^W 192 " "
 80.00 Set a post Cor. to Sec^s. 15, 16, 21 & 22, from which
 a W. Oak 20 in. dia. bear S 85^E 54 lks. dist. of
 a Hickory 12 " " " N 51^W 36 " "
 Over middling level Barrens not much timber
 poor farming land.

The line between Sec^s. 15 & 22, T^h. N. R³ E. is
 not run, it being through Open Barrens.

North Between Sec^s. 15 & 16, T^h. N. R³ E.
 40.00 Set the of Sec. post at average dist. from which
 a W. Oak 10 in. dia. bear N 41^E 52 lks. dist. of
 a B. Oak 24 " " " N 67^W 30 " "
 60.34 a B. Oak 12 " "
 80.00 Set a post Cor. to Sec^s. 9, 10, 15 & 16, from which
 a W. Oak 10 in. dia. bear N 70^W 38 lks. dist. of
 a do 14 " " " N 43^E 48 " "
 Land part Barrens and part timbered with

T. 12 R. 3 E. 2nd Mer. Indiana

Oak and Hickory, principally undergrowth of Hazel & Brier, Grape vines, Sassafras and poor farming land 3rd rate Soil

March 17th 1807 var. 6th 40'

East On Random between Sec. 10 & 15, T. 12 R. 3 E.
40.00 Set temp^l. q. Sec. post
78.20 Intersected the N & S. line 20 lks. S. of the post
Over very brushy barren, poor farming land

West On true line between Sec. 10 & 15, T. 12 R. 3 E.
39.10 Set q. Sec. post at average dist. from which
a W. Oak 5 in. dia. bran N 6 E 16 lks. dist. of
a Hickory 12 " " " S 70 W 66 " "
78.20 to Section Corner.

North Between Sec. 9 & 10, T. 12 R. 3 E.
25.70 a Maple 9 in. dia.
40.00 Set the q. Sec. post. from which
a W. Oak 10 in. dia. bran N 16 E 11 lks. dist. of
a Do 10 " " " N 15 E 6 " "
59.30 a W. Oak 15 " "
77.00 a small brook - lks. wide Cr. S. E.
80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
a W. Oak 9 in. dia. bran S 27 E 39 lks. dist. of
a Hickory 17 " " " N 23 W 13 " "
Land a little rolling, timber Oak & Hickory thin
underg^{ow}. Some small ponds, poor farming land

East On Random between Sec. 3 & 10, T. 12 R. 3 E.
40.00 Set temp^l. q. Sec. post
79.62 Intersected the N & S. line 50 lks. S. of post
Over broken brushy barren 3rd rate poor land

T. 1 N. R. 3 E. 2^d Mer. Indiana

West On true line between Sec. 3 & 10, T. 1 N. R. 3 E.
 39.80 Set q. Sec. post at average dist. from which
 a Hickory 8 in. dia. bears N 13 E 29 lks. dist. of
 a B. Oak 14 " " " N 26 W 8 " "
 79.62 to Sec. Corner.

North Between Sec. 3 & 4, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 8 in. dia. bears N 40 W 48 lks. dist
 and no other
 70.60 a Spring branch. Course E.
 75.61 Intersected the N. boundary 133 lks. N. of post.
 Set a post Cor. to Sec. 3 & 4, from which
 a W. Oak 12 in. dia. bears S 70 E 78 lks. dist.
 Over Middling level barrens very open, the
 principal growth, Hazel & grass soil, of middling
 quality. March 18th 1807

North Between Sec. 32 & 33, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post from which
 a W. Oak 8 in. dia. bears S 35 E 11 lks. dist. of
 a B. Oak 20 " " " N 27 W 6 " "
 64.90 at B. Oak 10 " "
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33. from which
 a B. Walnut 14 in. dia. bears N 87 W 22 lks. dist. of
 a Do 14 " " " N 27 E 29 " "
 Land rather uneven with sink holes thin soil
 and stony Timber with Oak & Hickory principally
 Not much under growth 3^d rate farming land

East On Randon between Sec. 28 & 33, T. 1 N. R. 3 E.
 40.00 Set Temp. q. Sec. post.
 79.88 Intersected the N. & S. line 42 lks. S. of post

T. 36 N. R. 3 E. 2^d. Mer. Indiana

Land and timber Same

West On true line Between Secs 28 & 35 T. 36 N. R. 3 E
 39.94 Set temp^y. post at average dist. from which
 a W Oak 14 in. dia. bears N 61 E 38 lks dist &
 a Do 15 " " " S 74 W 21 " "
 79.88 to Sec Corner

North Between Secs 28 & 29 T. 36 N. R. 3 E
 40.00 Set q^t. Sec. post from which
 a W Oak 10 in. dia. bears S 3 E 7 lks. dist &
 a B. Oak 9 " " " N 35 W 9 " "
 68.02 a W Oak 12 " "
 80.00 Set post Corner to Secs 20, 21, 28 & 29 from which
 a W Oak 8 in. dia. bears S 3 W 15 lks. dist &
 a Hickory 7 " " " N 21 E 12 " "
 Land and timber Same

East On Random Between Secs 21 & 28 T. 36 N. R. 3 E
 40.00 Set temp^y. q^t. Sec. post
 80:00 Intersected N. & S. line 50 lks S. of Sec. Corner
 This wide Barren, middling level Oak & Hickory
 timber thin Soil and stony poor farming Land

West On true line Between Secs 21 & 28 T. 36 N. R. 3 E
 40.00 Set the q^t. Sec. post from which
 a B. Oak 7 in dia. bears S 40 E 25 lks dist &
 a Hickory 7 " " " N 46 W 5 " "
 80.10 to Sec Corner

North Between Secs 20 & 21 T. 36 N. R. 3 E
 40.00 Set q^t. Sec. post in barrens no bearing trees
 45.86 a Hickory 10 in. dia.

T. T. R. 3 E. 2ⁿ Mer. Indiana

80.00 Set post Corner to Sec. 16, 17, 20 & 21 from which
 W. Oak 9 in dia. bears S 83 W 32 lks. dist &
 a B. Oak 10 " " " N 85 E 54 " "
 the 1st 1/2 mile Barrens the last 1/2 timbered with
 Oak principally. Some small pond holes poor
 farming Land

East On Randome between Sec. 16 & 21 T. T. R. 3 E
 40.00 Set temp. q. Sec. post
 80.90 Intersected N & S line 1.05 lks. S. of post
 this mile part Barrens and part timber 3^d rate
 thick undergrowth & poor farming land

West On true line between Sec. 16 & 21 T. T. R. 3 E
 40.00 Set temp. q. Sec. post from which
 a Hickory 9 in. dia. bears South 8 lks. dist &
 a Do 10 " " " N 61 W 15 " "
 80.90 to Sec. Corner

North Between Sec. 16 & 17 T. T. R. 3 E
 40.00 Set q. Sec. post from which
 a W Oak 9 in. dia. bears N 37 W 14 lks dist &
 a Maple 14 " " " S 80 E 21 " "
 80.00 Set post Corner to Sec. 8, 9, 16, 17 from which
 a B. Oak 9 in dia. bears N 70 E 15 lks dist &
 a Hickory 5 " " " S 85 E 27 " "
 the 1st 30 Chas. Barrens and the rest of the mile
 Swamp or pond holes poor farming land

East On Randome Between Sec. 9 & 16 T. T. R. 3 E
 40.00 Set temp. q. Sec. post
 81.78 Intersected the N & S line 12 lks. N. of post
 Sand part Barren - and part low wet oak

T1. R3E. 2. Mer. Indiana

3^d. rate & poor farming land

West On true line between Sec. 9 & 16, T1. R3E.
40.89 Set q. Sec. post at average dist. from which
a W. Oak 24 in. dia. by N 38° W 25 lks. dist. of
a Maple 12 " " " S 50° E 11 " "
81.78 to Sec. Corner

North Between Sec. 8 & 9, T1. R3E.
23.60 a W. Oak 8 in. dia.
40.00 Set the q. Sec. post, from which
a Hickory 7 in. dia. by N 63° E 28 lks. dist. of
a Do 9 " " " N 70° W 2 " "
72.00 a Hickory 12 " "
80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a B. Oak 11 in. dia. by N 71° E 21 lks. dist. of
a Hickory 10 " " " S 86° E 31 " "
The greatest part of this mile Barren
Middle level land low timber, 3^d. rate
poor farming land

East On Random between Sec. 4 & 9, T1. R3E.
40.00 Set temp. q. Sec. post
80.19 Intersected the N & S line 66 lks. N. of post
This mile the greatest part is open Barren
of a middling quality level & not much brush
or briar, some prairie grass.

West On true line between Sec. 4 & 9, T1. R3E.
40.09 1/2 Set the q. Sec. post at average dist. from which
in a Barren No bearing trees.
80.19 to Sec. Corner.

T. 1 N. R. 3 E. 2^d. Mer. Indiana

North Between Sec. 4 & 5, T. 1 N. R. 3 E.

40.00 Set the q. Sec. post in Barren no
Bearing trees

54.43 a P. Oak 24 in. dia.

72.92 Intersected the N. boundary 195 lks. N. of post

Set a post Cor. to Sec. 4 & 5, from which

a P. Oak 12 in. dia. bearing S 38 E 33 lks. dist. of

a W. Oak 14 " " " N 56 W 34 " "

Land same some Oak timber good 3^d rate SoilMarch 20th 1807

North Between Sec. 31 & 32, T. 1 N. R. 3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 14 in. dia. bearing N 43 E 29 lks. dist. of

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which

a Hickory 14 in. dia. bearing S 34 E 12 lks. dist. of

a Do 12 " " " N 34 W 18 " "

Over uneven Barren 3^d rate Soil some Oak
& Hickory timber brushy poor farming land

East On Random betw. Sec. 29 & 32, T. 1 N. R. 3 E.

40.00 Set temp. q. Sec. post

80.66 Intersected the N & S. line 43 lks. N. of post

Land timber &c. same, poor farming land

West On true line betw. Sec. 29 & 32, T. 1 N. R. 3 E.

40.33 Set temp. q. Sec. post at avg. dist. from which

a P. Oak 7 in. dia. bearing N 83 E 95 lks. dist.

80.66 to Sec. Corner

West Between Sec. 30 & 31, T. 1 N. R. 3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 8 in. dia. bearing S 54 E 13 lks. dist. of

T. 1 N. R. 3 E. 2nd. Mer. Indiana

79.77 a W. Oak 5 in. dia. bray N 79 W 12 lks. dist.
 Intersected the Range line 57 1/2 lks. N. of post
 Set a post Cor. to Sec. 30 & 31, from which
 a W. Oak 13 in. dia. bray S 32 W 12 lks. dist. &
 a W. Oak 14 " " " N 13 E 9 " "
 Land rolling timber Oak & Hickory principally
 Middling good farming land (much undr.)
 N.B. Found a mistake of an out in the Range
 line, remeasured & set the post at their proper
 distance.

North Between Sec. 29 & 30, T. 1 N. R. 3 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bray N 6 E 14 1/2 lks. dist. &
 a Do 5 " " " N 36 E 118 " "
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a W. Oak 12 in. dia. bray S 28 W 48 lks. dist. &
 a Do 8 " " " N 59 E 102 " "
 Over uneven brushy, Barren, not much
 timber, timber poor farming land

East On Range between Sec. 20 & 29, T. 1 N. R. 3 E.
 40.00 Set temp. q. Sec. post
 80.21 Intersected the N & S. line 43 lks. South of post
 This mile the greatest part uneven barren
 3rd rate Soil

West On true line between Sec. 20 & 29, T. 1 N. R. 3 E.
 40.00 Set q. Sec. post, at average dist. in 1 Barren
 and no bearing trees
 80.21 to Sec. Corner.

West Between Sec. 19 & 30, T. 1 N. R. 3 E.

T. 1 N. R. 3 E. 2^d. Mer. Indiana

40.00 Set the q. Sec. post, from which
a Hickory 10 in. dia. bear N 19 E 9 lks. dist. of
a do 10 " " " S 54 W 18 " "

64.81 a B. Oak 14 " "

78.67 Intersected the N. boundary 6.50 lks. N. of post
Set a post Cor. to Sec. 19 & 30, from which
a B. Oak 12 in. dia. bear S 48 W 83 lks. dist. ✓
The first half mile Barren - the last half
timbered with Oak & Hickory principally thin
Soil, poor farming land.

North Between Sec. 19 & 20, T. 1 N. R. 3 E.

40.00 Set the q. Sec. post in the Barren
and no bearing trees

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Hickory 10 in. dia. bear N 86 W 102 lks. dist.
This mile through open Barren uneven 3^d
rate Soil & stony very poor farming land

West Between Sec. 18 & 19, T. 1 N. R. 3 E.

40.00 Set the q. Sec. post, from which
a B. Oak 14 in. dia. bear N 2 E 12 lks. dist. of
a do 14 " " " S 20 W 26 " "

77.50 Intersected the W. boundary 7.21 lks. N. of post
Set a post Corner to Sec. 18 & 19, T. 1 N. R. 3 E.
(the Bearings Omitted)
Land rolling, timber Oak & Hickory, thin
Soil and stony, poor farming land

East On Random between Sec. 17 & 20, T. 1 N. R. 3 E.

40.00 Set temp. q. Sec. post

79.92 Intersected the N. & S. line 16 lks. N. of post
This mile Barren very brushy not much

T. N. R. 3 E. 2. Mer. Indiana
timber poor farming land.

March 21st 1807

West On true line between Sec. 17 & 20, T. N. R. 3 E.
39.96 Set of Sec. post at average dist. from which
a W. Oak 9 in. dia. beam N 42 E 77 lks. dist. &
a do 9 " " " N 81 W 104 " "
79.92 to Sec. Corner.

March 21st 1807

North Between Sec. 17 & 18, T. N. R. 3 E.
40.00 Set the of Sec. post, from which
a B. Oak 18 in. dia. beam S 15 W 14 lks. dist. &
a do 18 " " " North 48 " "
80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a B. Oak 14 in. dia. beam S 12 W 7 lks. dist. &
a W. Oak 8 " " " N 3 E. 16 " "
Land rolling, timber Oak & Hickory Soil of
a (Middling quality) thick brush middling
farming land.

East On Random betw. Sec. 8 & 17, T. N. R. 3 E.

40.00 Set temp. of Sec. post.

79.98 Intersected the N & S. line 8 lks. S. of the post
The first half mile / Barren - the last half
mile low wet Oak land

West On true line between Sec. 8 & 17, T. N. R. 3 E.

39.99 Set of Sec. post at average dist. from which
a W. Oak 7 in. dia. beam S 28 W 10 lks. dist. &
a do 8 " " " North 4 " "

79.98 to Sec. Corner

T. N. R 3 E. T. Mer. Indiana

West Between Sec. 7 & 18, T. N. R 3 E.
 40.00 Let the q. Sec. post, from which
 a P. Oak 14 in. dia. bear N 28 E 50 lks. dist. &
 a W. Oak 12 " " " S 31 E 3 " "
 76.97 Intersected the N. boundary 625 lks. North of post
 Let a post corner to Sec. 7 & 18, from which
 a P. Oak 14 in. dia. bear N 41 E 9 lks. dist. &
 a W. Oak 14 " " " S 79 W 8 " "
 Poor farming land.

North Between Sec. 7 & 8, T. N. R 3 E. T. Mer.
 40.00 Let the q. Sec. post. in clearing and
 no clearing trees.
 43.87 a Hickory 10 in. dia.
 80.00 Let a post cor. to Sec. 5, 6, 7 & 8, from which
 a Hickory 10 in. dia. bear S 22 W 2.12 lks. dist. &
 a P. Oak 8 " " " S 37 E 1.84 " "
 This mile through Open clearing 2. Rate
 Soil, the principal growth is Hazel, weeds,
 grass &c. Middling farming land

East Random between Sec. 5 & 8, T. N. R 3 E.
 40.00 Let temp. q. Sec. post
 80.11 Intersected the N & S. line 19 lks. N. of the post
 This mile part clearing and part timbered
 and Middling farming land

West On true line between Sec. 5 & 8, T. N. R 3 E.
 40.05 Let the q. Sec. post at average dist. from which
 a P. Oak 18 in. dia. bear N 68 W 46 lks. dist. &
 a Do 14 " " " N 16 E 12 " "
 80.11 to Sec. Corner

T. N. R 3 E. 2^d. Mer. Indiana

North Between Secs. 5 & 6, T. N. R 3 E.

40.00 At the q. Sec. post, from which

a P. Oak 14 in. dia. bran N 67° 26' 0" E. dist. 6

a W. Oak 10 " " " N 23° E 220 " "

69.80 Intersected the N. boundary 239 lks. N. of post

Set a post Cor. to Secs. 5 & 6, from which

a Hickory 8 in. dia. bran N 65° E. 128 lks. dist. 6

a W. Oak 9 " " " N 62° 11' 80 " "

This mile post bearing poor farming land

West Between Secs. 6 & 7, T. N. R 3 E.

40.00 At the q. Sec. post, from which

a P. Oak 14 in. dia. bran N 65° 11' 56 lks. dist. 6

a W. Oak 8 " " " N 43° E 29 " "

60.78 a Hickory 14 " "

75.78 Intersected the N. boundary, 947 lks. N. of post

Set a post Cor. to Secs. 6 & 7, from which

a Poplar 14 in. dia. bran N 82° E 36 lks. dist. 6

a W. Oak 36 " " " N 88° 11' 34 " "

Land broken, timber Oak & Hickory poor farming land.

Surveyed by William Harris, D. S.

N. N. R. 3 E. 2nd Mer. Indiana.

I certify that the foregoing transcript of field notes of Town-
ship N. N. Range N. 3 E. 2nd Mer. Indiana has been
comp^d with the original notes in this office & found to be correct.
Surveyor General's Office
Cincinnati, April 7th 1841

E. P. Fairs
Sur. Genl.

comp^d